

**ENVIRONMENTAL MANAGEMENT SERVICES**  
**Review of Monitoring Results**

**GENERAL**

CLIENT: **METROMIX PTY LTD**  
 PROJECT NO./LOCATION: **215 - MARRANGAROO**  
 CONTACT PERSON: **Mr Daniel Lythgo**

**SAMPLES**

Type: **Deposited Dust** No of Samples: **3**  
 Sample Period **31/08/2017 to 4/10/2017** Date despatched : **4/10/2017**  
 Submission Sheet received by Corkery & Co: **No**  
 Date Received by ALS **4/10/2017** Batch No: **24006281**  
 Results Received by RWC **11/10/2017**

<b>REVIEW OF RESULTS</b>		Comments
Results Entered/Accepted	<b>Yes</b>	
Comparison with Previous Results	<b>Yes</b>	
Statistical Analysis	<b>Yes</b>	

**DISTRIBUTION OF RESULTS**

Result Sheets to Client:	<b>Yes</b>	Result Sheets to Residents:	<b>No</b>
Summary Sheets to Client:	<b>Yes</b>	Summary Sheets to Residents:	<b>No</b>

**COMMENTS**

Deposited dust monitoring results for the period from 29 June 2017 to 2 August 2017 indicate that deposited dust levels at point locations MD-2, MD-3 and MD-4 are within approved EPA annual average guideline levels.

**ACTION**

No action is necessary






**SIGNED:** Andrea Kubin

**DATE:** 11/10/2017



**METROMIX MARANGAROO QUARRY  
DUST DEPOSIT GAUGE ANALYSES - PROJECT #215**



## CERTIFICATE OF ANALYSIS

**Work Order** : **24006281**  
**Client** : **R W CORKERY & CO PTY LTD**  
**Contact** : **MR ROB CORKERY**  
**Address** : **P O BOX 239**  
**BROOKLYN NSW, AUSTRALIA 2083**  
**E-mail** : **rob@rwcorkery.com**  
**Telephone** : **0263 625411**  
**Facsimile** : **0263613622**  
**Project** : **Marrangaroo**  
**Order number** :  
**C-O-C number** :  
**Sampler** :  
**Site** :  
**Quote number** :

**Page** : **1 of 3**  
**Laboratory** : **Coal Division Lithgow**  
**Contact** : **Almudena Bryce**  
**Address** : **Unit 2, 16 Donald Street**  
**LITHGOW NSW Australia 2790**  
**E-mail** : **Almudena.Bryce@alsglobal.com**  
**Telephone** : **61-2-6350-7400**  
**Facsimile** : **61-2-6352-3583**  
**QC Level** :  
**Date Samples Received** : **4/10/2017**  
**Issue Date** : **11/10/2017**  
**No. of samples received** : **4**  
**No. of samples analysed** : **4**

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 11436

Accredited for compliance with  
ISO/IEC 17025

### Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

*Signatories*  
Almudena Bryce

*Position*  
Business Manager, Lithgow

*Accreditation Category*  
Lithgow – Chemical Testing



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting

- **Analysis as per AS3580.10.1-2003. Samples passed through a 1mm sieve prior to analysis.**
- **NATA accreditation does not apply for results reported in g/m<sup>2</sup>.mth as sampling data was provided by the client.**



**Analytical Results**

Sub-Matrix: DUST (Matrix: AIR)

Client sample ID

			MD2	MD3	MD4	MD5	----	
			31-AUG-201710:00	31-AUG-201710:15	31-AUG-201710:20	31-AUG-201709:50	----	
Client sampling date/time	CAS Number	LOR	Unit	24006244-01	24006244-02	24006244-03	24006244-04	----
<b>EA120: Ash Content</b>								
Ash Content		0.1	g/m <sup>2</sup> .month	0.2	0.8	1	0.4	----
Ash Content (mg)		1	mg	4.4	15.5	18.8	8.4	----
<b>Combustible Matter</b>								
Combustible Matter		0.1	g/m <sup>2</sup> .month	0.2	0.1	0.4	0.3	----
Combustible Matter (mg)		1	mg	7.1	18.1	27.5	13.7	----
<b>Total Insoluble Matter</b>								
Total Insoluble Matter		0.1	g/m <sup>2</sup> .month	0.4	0.9	1.4	0.7	----
Total Insoluble Matter (mg)		1	mg	11.5	33.6	46.3	22.1	----

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: 24006281</b>	<b>Page</b>	<b>: 1 of 4</b>
<b>Client</b>	<b>: R W Corkery &amp; CO PTY LTD</b>	<b>Laboratory</b>	<b>: Coal Division Lithgow</b>
<b>Contact</b>	<b>: MR ROB CORKERY</b>	<b>Contact</b>	<b>: Almudena Bryce</b>
<b>Address</b>	<b>: PO BOX 239 BROOKLYN NSW, AUSTRALIA 2083</b>	<b>Address</b>	<b>: Unit 2, 16 Donald Street LITHGOW NSW Australia 2790</b>
<b>E-mail</b>	<b>: <a href="mailto:rob@rwcorkery.com">rob@rwcorkery.com</a></b>	<b>E-mail</b>	<b>: Almudena.Bryce@alsglobal.com</b>
<b>Telephone</b>	<b>: 0263 625411</b>	<b>Telephone</b>	<b>: 61-2-6350-7400</b>
<b>Facsimile</b>	<b>: 0263 613622</b>	<b>Facsimile</b>	<b>: +61-2-6352-3583</b>
<b>Project</b>	<b>: Marrangaroo</b>	<b>QC Level</b>	<b>: NEPM 2013 Schedule B(3) and ALS QCS3 requirement</b>
<b>Site</b>	<b>:</b>	<b>Date Samples Received</b>	<b>: 4/10/2017</b>
<b>C-O-C number</b>	<b>:</b>	<b>Issue Date</b>	<b>: 11/10/2017</b>
<b>Sampler</b>	<b>:</b>	<b>No. of samples received</b>	<b>: 4</b>
<b>Order number</b>	<b>:</b>	<b>No. of samples analysed</b>	<b>: 4</b>
<b>Quote number</b>	<b>:</b>		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 11436

Accredited for  
compliance with  
ISO/IEC 17025.

WORLD RECOGNISED  
ACCREDITATION

### Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

#### Signatories

Almudena Bryce

#### Position

Business Manager, Lithgow

#### Accreditation Category

Lithgow-Chemical Testing

ADDRESS Unit2, 16 Donald Street LITHGOW NSW Australia 2790 | PHONE +61 2 6350 7400 | FAX +61 2 6352 3583

ACIRL Pty Ltd ABN 41 000 513 888 Part of the ALS Group A Campbell Brothers Limited Company



---

## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :  
Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
RPD = Relative Percentage Difference  
# = Indicates failed QC





### ***Laboratory Duplicate (DUP) Report***

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR:- No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:- 0% - 20%.

- **No Laboratory Duplicate (DUP) Results are required to be reported.**
-



### ***Method Blank (MB) and Laboratory Control Spike (LCS) Report***

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

----

- **No Method Blank (MB) or Laboratory Control Spike (SCS) Results are required to be reported.**

### ***Matrix Spike (MS) Report***

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

- **No Matrix Spike (MS) Results are required to be reported.**

### ***Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report***

The quality control term Matrix Spike (MS) and Matrix Spike Duplicate (MSD) refers to intralaboratory split samples spiked with a representative set of target analytes. The purpose of these QC parameters are to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

- **No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.**



Environmental

## INTERPRETIVE QUALITY CONTROL REPORT

Work Order	: <b>24006281</b>	Page	: 1 of 5
Client	: R W Corkery & CO PTY LTD	Laboratory	: Coal Division Lithgow
Contact	: MR ROB CORKERY	Contact	: Almudena Bryce
Address	: PO BOX 239 BROOKLYN NSW, AUSTRALIA 2083	Address	: Unit 2, 16 Donald Street LITHGOW NSW Australia 2790
E-mail	: <a href="mailto:rob@rwcorkery.com">rob@rwcorkery.com</a>	E-mail	: Almudena.Bryce@alsglobal.com
Telephone	: 0263 625411	Telephone	: 61-2-6350-7400
Facsimile	: 0263 613622	Facsimile	: +61-2-6352-3583
Project	: Marrangaroo	QC Level	: NEPM 2013 Schedule B(3) and ALS QCS3 requirement
Site	:	Date Samples Received	: 4/10/2017
C-O-C number	:	Issue Date	: 11/10/2017
Sampler	:	No. of samples received	: 4
Order number	:	No. of samples analysed	: 4
Quote number	:		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Interpretive Quality Control Report contains the following information:

- Analysis Holding Time Compliance
- Quality Control Parameter Frequency Compliance
- Brief Method Summaries
- Summary of Outliers

ADDRESS Unit2, 16 Donald Street LITHGOW NSW Australia 2790 | PHONE +61 2 6350 7400 | FAX +61 2 6352 3583  
ACIRL Pty Ltd ABN 41 000 513 888 Part of the ALS Group A Campbell Brothers Limited Company



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with recommended holding times (USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: AIR

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>EA120: Ash Content</b>							
<b>Dust Gauge - Copper Sulfate (EA120)</b> MD2 , MD3, MD4, MD5	04-OCT-2017	---	03-NOV-2017	----	05-OCT-2017	5-OCT-2017	✓
<b>EA125: Combustible Matter</b>							
<b>Dust Gauge - Copper Sulfate (EA125)</b> MD2 , MD3, MD4, MD5	04-OCT-2017	---	03-NOV-2017	----	05-OCT-2017	5-OCT-2017	✓
<b>EA141: Total Insoluble Matter</b>							
<b>Dust Gauge - Copper Sulfate (EA141)</b> MD2 , MD3, MD4, MD5	04-OCT-2017	---	03-NOV-2017	----	05-OCT-2017	5-OCT-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(where) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix:

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
Analytical Methods							
	----						



## ***Brief Method Summaries***

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Ash Content (AC)	EA120	AIR	AS 3580.10.1 - 2003 A gravimetric procedure reporting Ash content in deposited dust.
Combustible Matter (CM)	EA125	AIR	AS 3580.10.1 - 2003 A gravimetric procedure reporting Combustible Matter in deposited dust.
Total Insoluble Matter (TIM)	EA141	AIR	AS 3580.10.1 - 2003 A gravimetric procedure reporting Total Insoluble solids in deposited dust.



## Summary of Outliers

### Outliers : Quality Control Samples

The following report highlights outliers flagged in the Quality Control (QC) Report. Surrogate recovery limits are static and based on USEPA SW 846 or ALS-QW/EN/38 (in the absence of specific USEPA limits). This report displays QC Outliers (breaches) only.

#### **Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes**

- For all matrices, no Method Blank value outliers occur.
- For all matrices, no Duplicate outliers occur.
- For all matrices, no Laboratory Control outliers occur.
- For all matrices, no Matrix Spike outliers occur.

#### **Regular Sample Surrogates**

- For all regular sample matrices, no surrogate recovery outliers occur.

### Outliers : Analysis Holding Time Compliance

This report displays Holding Time breaches only. Only the respective Extraction / Preparation and/or Analysis component is/are displayed.

- No Analysis Holding Time Outliers exist.

### Outliers : Frequency of Quality Control Samples

The following report highlights breaches in the Frequency of Quality Control Samples.

- No Quality Control Sample Frequency Outliers exist.