



Teralba Quarry Environmental Monitoring Summary

September 2022

Environmental Protection Licence (EPL):	536
Licensee:	Metromix Pty Limited
Licensee Address:	PO Box 1295 Parramatta, NSW 2124
Premises:	Metromix Pty Limited Teralba Quarry Rhondra Road Teralba, NSW 2284
Licensee Website:	https://www.metromix.com.au/
Licensee Website - Monitoring Results:	https://www.metromix.com.au/resources/#quarry
EPA Public Register:	https://www.epa.nsw.gov.au/licensing-and-regulation/public-registers
Prepared by:	R. W. Corkery & Co.
Sample Period:	September 2022
Date Last Data Received	14 October 2022
Date of Report	20 October 2022

Contents

- 1 Deposited Dust
- 2 Particulate Matter (PM₁₀)
- 3 Water
- 4 Meteorological Conditions
- 5 Blasting
- 6 Waste



Deposited Dust

Sample Period Start: 1/09/2022
Sample Period End: 4/10/2022
Sample Frequency: 30 ± 2 days
Sample Collected By: Metromix - AL
'Date Results Received by Lab: 4/10/2022
Date Results Received by Metromix: 14/10/2022

EPA Identification No.	Location	Criteria (g/m ² /month)	Insoluble Solids (g/m ² /month)	Ash Fraction (g/m ² /month)	% Ash Fraction
1	Hillside Crescent	4.0	0.8	0.2	25
8	Rodgers Street	4.0	0.4	0.2	50
9	Rhondda Road	4.0	0.7	0.4	57
11	Myrtle Street	4.0	1.1	0.5	45
23	York Street	4.0	0.6	0.4	67

Comments

No exceedances of the approved criteria were detected during the sample period. The sample period was 33 days thus outside of the EPL limits of sampling frequency.

Deposited Dust - Year to Date

	Rhondda Road			Myrtle Street			Hillside Crescent			Rodgers Street			York Street		
	Total Insoluble Solids	Ash Fraction	% Ash	Total Insoluble Solids	Ash Fraction	% Ash	Total Insoluble Solids	Ash Fraction	% Ash	Total Insoluble Solids	Ash Fraction	% Ash	Total Insoluble Solids	Ash Fraction	% Ash
Units	g/m ² /month	g/m ² /month		g/m ² /month	g/m ² /month		g/m ² /month	g/m ² /month		g/m ² /month	g/m ² /month		g/m ² /month	g/m ² /month	
EPA Approved Level	4.0			4.0			4.0			4.0			4.0		
June 2022	0.3	0.2	67	1.8	1.0	56	0.4	0.3	75	0.4	0.2	50	0.7	0.5	71
February	0.8	0.4	50	4.9	3.6	73	0.9	0.3	33	0.8	0.3	38	1.2	0.5	42
March	0.6	0.2	67	5.3	4.1	77	0.5	0.1	20	0.3	0.1	33	0.3	0.2	67
April	10.5	9.1	87	1.7	1.0	59	0.4	0.1	25	0.3	0.1	33	1.1	0.6	55
May	1.5	1.2	80	1.1	0.5	45	0.2	0.1	50	0.2	0.2	100	0.5	0.3	60
June	0.8	0.6	75	0.7	0.5	71	0.1	0.1	100	0.3	0.2	67	0.7	0.4	57
July	0.5	0.2	40	2.5	0.6	24	0.3	0.1	33	0.3	0.1	33	0.5	0.2	40
August	1.2	0.8	67	1.8	0.9	50	0.3	0.3	100	0.2	0.2	100	1.3	0.6	46
September	0.7	0.4	57	1.1	0.5	45	0.8	0.2	25	0.4	0.2	50	0.6	0.4	67
October															
November															
December															
Annual Average	1.9	1.5	65.5	2.3	1.4	55.6	0.4	0.2	51.2	0.4	0.2	56.0	0.8	0.4	56.1
Annual Maximum	10.5	9.1	86.7	5.3	4.1	77.0	0.9	0.3	100.0	0.8	0.3	100.0	1.3	0.6	71.4
Annual Minimum	0.3	0.2	40.0	0.7	0.5	24.0	0.1	0.1	20.0	0.2	0.1	33.0	0.3	0.2	40.0

Particulate Matter (PM₁₀)

Sample Location: EPA 3 - Rodgers Street
Sample Frequency: 6 days

Date Sample Taken (24-hr)	Collected by	Date Results Received	PM ₁₀ µg/m ³	Monthly Average Criteria (µg/m ³)	Annual Average Criteria (µg/m ³)
1/09/2022	CBased - TD	9/09/2022	11.4	50	
7/09/2022	CBased - TD	15/09/2022	5.8	50	
13/09/2022	CBased - TD	23/09/2022	4.5	50	
19/09/2022	CBased - MB	28/09/2022	6.9	50	
25/09/2022	CBased - MB	4/10/2022	7.5	50	
Monthly Average			7.22		25/30*
*Project Approval (PA 10_0183) outlines the annual average PM ₁₀ criteria to be 30µg/m ³ . However, EPL 536 Condition R4.5a) requires that the air quality monitoring data is assessed against the Air Impact Assessment Criteria outlined in EPA's <i>Approved Methods for the Modelling and Assessment of Air Pollutants in NSW</i> . The most up to date version of this guideline was published in 2017 and outlines the annual average PM ₁₀ criteria to be 25µg/m ³ . Metromix has considered both criteria for its review of particulate matter monitoring.					

Comments


All PM₁₀ results remained below the approved criteria for the sample period.

Particulate Matter (PM₁₀) - Year to Date

Date	PM ₁₀ (µg/m ³)	Monthly Average (µg/m ³)	Year to Date Average (µg/m ³)	24-Hr Criteria (µg/m ³)	Comments
4/01/2022	9.3	11.7	9.3	50	
10/01/2022	14.5		11.9	50	
16/01/2022	15.4		13.1	50	
22/01/2022	8		11.8	50	
28/01/2022	11.4		11.7	50	
3/02/2022	16.1	14.7	12.5	50	
9/02/2022	13.1		12.5	50	
15/02/2022	21.2		13.6	50	
21/02/2022	15.4		13.8	50	
27/02/2022	7.7		13.2	50	
5/03/2022	11.2	12.2	13.0	50	
11/03/2022	14		13.1	50	
17/03/2022	13.1		13.1	50	
23/03/2022	14.8		13.2	50	
29/03/2022	8		12.9	50	
4/04/2022	9.8	7.8	12.7	50	
10/04/2022	11.2		12.6	50	
16/04/2022	8.6		12.4	50	
22/04/2022	4.6		12.0	50	
28/04/2022	5		11.6	50	
4/05/2022	7.7	5.6	11.4	50	
10/05/2022	3.7		11.1	50	
16/05/2022	6.3		10.9	50	
22/05/2022	4.4		10.6	50	
28/05/2022	6		10.4	50	
3/06/2022	10	9.2	10.4	50	
9/06/2022	3.1		10.1	50	
15/06/2022	8.4		10.1	50	
21/06/2022	13.1		10.2	50	
27/06/2022	11.3		10.2	50	
3/07/2022	8.8	6.3	10.2	50	
9/07/2022	2.9		9.9	50	
15/07/2022	5.6		9.8	50	
21/07/2022	6.9		9.7	50	
27/07/2022	7.4		9.7	50	
2/08/2022	5.6	5.8	9.5	50	
8/08/2022	7.8		9.5	50	
14/08/2022	2.2		9.3	50	
20/08/2022	7.1		9.2	50	
26/08/2022	6.2		9.2	50	
1/09/2022	11.4	7.2	9.2	50	
7/09/2022	5.8		9.1	50	
13/09/2022	4.5		9.0	50	
19/09/2022	6.9		9.0	50	
25/09/2022	7.5		9.0	50	

Minimum	2.2
Maximum	21.2
Average	9.0
Standard Deviation	4.14
24-hr Criteria	50
Number of Exceedences	0
Annual Average Criteria	25/30*

Annual Average Criteria Exceeded	No
*See explanation on previous page.	



Water**Water Monitoring****EPL Point 4 - Monthly Monitoring**

Date	Time	Sampled By	Date Results Received		pH	EC	TSS	Oil & Grease	Comments
				Units	pH Units	µS/cm	mg/L	mg/L	
				EPL Criterion*	6.5-8.5	NA	<50	10	
				ANZECC Water Quality Limits	6.5-8.5	125-2200	<50	-	
5/09/2022	8.00am	Metromix - JJ	12/09/2022		7.33	1740	16	<5	-

EPL Point 5 - Monitoring Daily During Discharge

Date	Time	Sampled By	Date Results Received		pH	EC	TSS	Oil & Grease	Comments
				Units	pH Units	µS/cm	mg/L	mg/L	
				EPL Criterion*	6.5-8.5	NA	<50	10	
				ANZECC Water Quality Limits	6.5-8.5	125-2200	<50	-	
5/09/2022	8.00am	Metromix - JJ	12/09/2022		7.86	649	<5	<5	-

EPL Point 6 - Monthly Monitoring

Date	Time	Sampled By	Date Results Received		pH	EC	TSS	Oil & Grease	Comments
				Units	pH Units	µS/cm	mg/L	mg/L	
				EPL Criterion*	6.5-8.5	NA	<50	10	
				ANZECC Water Quality Limits	6.5-8.5	125-2200	<50	-	

No discharge occurred at this location and therefore no monitoring was required

EPL Point 7 - Monthly Monitoring

Date	Time	Sampled By	Date Results Received		pH	EC	TSS	Oil & Grease	Comments
				Units	pH Units	µS/cm	mg/L	mg/L	
				EPL Criterion*	6.5-8.5	NA	<50	10	
				ANZECC Water Quality Limits	6.5-8.5	125-2200	<50	-	

No discharge occurred at this location and therefore no monitoring was required

Flow Meter Records

EPA Identified	Location	Description	Sample Period	Daily Average Flow	Monthly Total Flow ML
4	Adit Dam	Adit Dam to Creek (off site)	1/09/2022 to 4/10/2022	1.90	59.0
5	Dam B	Discharge from Dam B (from Quarry)	1/09/2022 to 4/10/2022	0.03	0.8
4	Adit Dam	Water pumped from Adit Dam to Dam G (processing use)	1/09/2022 to 4/10/2022	3.06	94.9

Comments

All water monitoring results remained within the approved criteria levels during the monitoring period.

Water - Year to Date**EPL Point 4 : Monthly Monitoring**

	pH	EC	TSS	Oil & Grease	Comments
Units	pH Units	µS/cm	mg/L	mg/L	-
EPL Criterion*	6.5-8.5	NA	<50	10	-
June 2022	6.5-8.5	125-2200	<50	<5	-
January	7.13	1830	<5	<5	-
February	7.1	2010	6	<5	-
March	6.96	1360	6	<5	-
April	7.27	1550	23	<5	-
May	7.68	1750	<5	<5	-
June	7.12	1710	7	<5	-
July	7.16	1620	12	<5	-
August	7.15	1530	10	<5	-
September	7.33	1740	16	<5	-
October					
November					
December					

EPL Point 5 : Monitoring During Discharge

	pH	EC	TSS	Oil & Grease	Comments
Units	pH Units	µS/cm	mg/L	mg/L	-
EPL Criterion*	6.5-8.5	NA	<50	10	-
ANZECC Water Quality Limits	6.5-8.5	125-2200	<50	-	-
March	6.78	664	10	<5	-
April	6.88	758	<5	<5	-
May	7.1	746	<5	<5	-
June	6.85	774	<5	<5	-
July	7	638	<5	<5	-
August	6.79	587	<5	<5	-
September	7.86	649	<5	<5	-

Flow Meter Records

EPA Identifier	Location		Date	Monthly
4	Adit Dam	Water pumped from Adit Dam to Dam G (processing use)	4/01/2022 - 1/02/2022	100.8
			1/02/2022 - 1/03/2022	107.5
			1/03/2022 - 1/04/2022	86.5
			1/04/2022 - 2/05/2022	67.4
			2/05/2022 - 1/06/2022	100.2
			1/06/2022 - 5/07/2022	98.5
			5/07/2022 - 1/08/2022	185.1
			1/08/2022 - 1/09/2022	12.8
			1/09/2022 - 4/10/2022	94.9


EPA Identified Point	Location	Description	Date	Monthly Total (ML)
5	Dam B	Discharge from Dam B (from Quarry)	4/01/2022 - 1/02/2022	2.1
			1/02/2022 - 1/03/2022	0.0
			1/03/2022 - 1/04/2022	2.5
			1/04/2022 - 2/05/2022	13.4
			2/05/2022 - 1/06/2022	1.6
			1/06/2022 - 5/07/2022	0.2
			5/07/2022 - 1/08/2022	34.1
			1/08/2022 - 1/09/2022	1.9
			1/09/2022 - 4/10/2022	0.8

EPA Identified Point	Location	Description	Date	Monthly Total (ML)
4	Adit Dam	Adit Dam to Creek (off site)	4/01/2022 - 1/02/2022	36.9
			1/02/2022 - 1/03/2022	39.8
			1/03/2022 - 1/04/2022	64.1
			1/04/2022 - 2/05/2022	169.1
			2/05/2022 - 1/06/2022	47.8
			1/06/2022 - 5/07/2022	51.1
			5/07/2022 - 1/08/2022	321.6
			1/08/2022 - 1/09/2022	84.5
			1/09/2022 - 4/10/2022	59.0

Meteorological Conditions

Monitoring Location: Mid-Pit Entrance
Monitoring Frequency: Continuous

Windrose



Monthly Summary

Date	Mean Wind Direction (°)	Mean Wind Speed (km/h)	Daily Rainfall (mm)	Mean Sigma Theta	Max Temperature (°C) at 2m	Min Temperature (°C) at 2m
01/09/22	140	3.9	2.4	24.9	20.6	12.4
02/09/22	185	6.3	12.4	31.0	16.8	12.4
03/09/22	170	10.6	21.2	37.3	15.0	9.6
04/09/22	183	8.4	10.4	36.3	17.0	10.2
05/09/22	203	7.1	0.0	29.5	17.8	10.0
06/09/22	212	4.3	2.4	33.2	17.8	9.4
07/09/22	134	3.9	0.0	31.0	19.4	8.8
08/09/22	81	5.7	0.0	25.5	22.0	10.8
09/09/22	140	5.7	3.8	23.1	21.6	12.8
10/09/22	234	7.6	0.6	41.6	20.8	12.2
11/09/22	257	7.1	0.2	38.8	21.4	11.0
12/09/22	201	4.3	0.0	33.8	19.2	8.8
13/09/22	185	5.6	0.0	35.2	17.0	9.4
14/09/22	139	3.8	0.2	30.8	17.8	9.2
15/09/22	122	4.4	9.0	26.8	17.0	11.0
16/09/22	209	8.4	1.2	35.0	22.8	11.9
17/09/22	197	9.4	0.0	28.0	23.8	13.2
18/09/22	235	8.2	0.0	51.1	22.4	13.0
19/09/22	237	5.1	0.0	33.8	22.8	13.0
20/09/22	120	4.6	0.0	32.3	21.6	11.0
21/09/22	80	5.5	0.2	24.4	22.2	13.4
22/09/22	86	5.4	20.6	30.6	16.8	13.4
23/09/22	110	3.5	4.6	29.6	20.2	14.0
24/09/22	208	4.8	9.4	27.4	19.8	11.2
25/09/22	205	3.6	0.4	30.3	22.2	10.4
26/09/22	169	2.9	0.0	28.0	20.0	12.0
27/09/22	119	3.9	1.0	25.1	20.6	11.8
28/09/22	215	6.2	1.2	33.0	23.2	12.6
29/09/22	221	8.0	11.8	32.7	20.7	10.8
30/09/22	186	9.1	9.8	36.1	20.0	12.4

Meteorological Conditions - Year to Date

Monitored Parameter	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Total Rainfall (mm)	98.2	131.2	353.4	166.2	111.6	16.8	383.6	45.2	122.8				
Average Minimum Temperature (°C) at 2m	16.8	18.2	17.7	15.1	12.1	5.6	9.1	6.6	8.8				
Average Maximum Temperature (°C) at 2m	33.0	27.8	25.2	23.6	20.3	20.2	16.6	22.8	23.8				
Average Minimum Temperature (°C) at 10m	17.1	18.5	18.1	15.7	12.8	6.2	9.7	6.9	9.6				
Average Maximum Temperature (°C) at 10m	31.9	26.7	24.4	23.0	19.8	19.9	16.3	22.3	23				
Average Sigma Theta	34.6	34.8	33.5	30.5	31.1	33.8	30.8	30.0	31.9				
Average Solar Radiation (W/m ²)	207.9	181.7	129.8	123.0	93.6	97.7	85.4	116.6	138.3				
Average Relative Humidity (%)	75.0	73.0	80.0	76.2	75.0	62.9	73.0	66.0	71.0				

Blasting

Monitoring Frequency: Each Blast
 Blast Monitoring Completed By: Orica (Blast 1 to 12)
 MAXAM (Blast 13)

Shot #	Day	Month	Time	Location	Location 1		Location 2		Location 3		Comments
					Overpressure	Vibration	Overpressure	Vibration	Overpressure	Vibration	
					dB(L)	mm/s	dB(L)	mm/s	dB(L)	mm/s	
1	19	January	13:39:30	Stage 1C	104.7	0.6	100.8	0.06	NM	NM	Nil Trigger on monitor at bottom wheel wash
2A & 2B	1	February	15:55:00	Stage 2A	103.9	0.7	101.4	0.06	NM	NM	
3	14	February	14:31:01	Stage 1C	NT	NT	109.8	0.18	NM	NM	
4	28	February	15:54:47	Stage 2A	NT	NT	NT	NT	NM	NM	Nil trigger on any blast monitors
5	3	March	14:27:00	Stage 1C	106	0.08	NT	NT	NM	NM	
6	23	March	15:05:00	Stage 2A	102.2	1.01	NT	NT	NM	NM	
7	12	April	14:35:53	Stage 2B1	107.6	0.16	NT	NT	NM	NM	
8	27	April	15:48:12	Stage 2A	104.2	0.94	NT	NT	NM	NM	
9	9	May	14:39:03	Stage 1C	NT	NT	99.2	0.3	NM	NM	
10	6	June	14:52:32	Stage 1C	NT	NT	91.6	NT	NM	NM	
11	22	June	13:42:18	Stage 1C	NT	NT	103.2	0.281	NM	NM	
12	15	July	14:00:00	Stage 1C	NT	NT	NT	NT	NM	NM	Nil trigger on any blast monitors
13	29	July	12:04:28	Stage 1C	102.7	0.076	NT	NT	NM	NM	
14	18	August	1:20:00	Stage 2B-2	NT	NT	NT	NT	NM	NM	Nil trigger on any blast monitors
15	31	August	12:31:00	Stage 1C	NT	NT	NT	NT	NM	NM	Nil trigger on any blast monitors
16A/B	15	September	1:17:00	Stage 1C	NT	NT	NT	NT	NM	NM	Nil trigger on any blast monitors
17	21	September	12:23:00	Stage 2B3	NT	NT	NT	NT	NM	NM	Nil trigger on any blast monitors

NT Not Triggered

NM Not Monitored

Blasting Criteria

Parameter	Units of Measure	Limit	
		95% of blasts per year	100% of blasts
Airblast Overpressure (Linear Peak)	decibels (dBL)	115	120
Ground Vibration (Peak Particle Velocity)	millimeters per second	5	10

Comments

Two blasting events occurred during the monitoring period. All blast monitoring results were within the approved criteria.

Waste Management**Waste Removal Summary**

Month	January	February	March	April	May	June	July	August	September	October	November	December
August 2022	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
General Waste Bin (10m ³)												
General Waste Bin (4.5m ³)												
General Waste Bin (6m ³)		1		1								
General Waste Bin (20m ³)	1	1	1	1	1		1	1				
Paper & Cardboard Bin (3m ³)	1	1	2	1	1	2	1	1	2			
Shredded Paper Bin (240L)	2		1						3			
Co Mingled Recycling (2 x 240 L)	4	4	4	4	4	4	4	4	4			
Tonner Cartridges												
Waste Oil (L)	2100					3000						
Scrap Steel (t)												
Timber (m ³)												
Engine Coolant (L)												
Oil Filters (240L bin)		3										
Batteries												
Oily Rags (240L bin)												
Aerosols (120L bin)												
Tyres												
Other												
Oily Water (L)							7.3					
Grease Waste (L)												